

Finding your best timing for implantation To Increase the chances of pregnancy



MicroRNA-based Endometrial Receptivity Analysis



What is endometrium receptivity?

An endometrium is receptive when it is ready for embryo implantation. This period of receptivity is called the **window of implantation (WOI)**.

Wrong timing of endometrial receptivity is one of the leading causes of recurrent implantation failure.

Why should you choose MIRA?

MIRA is a miRNA-based analysis that can evaluate the status of endometrial receptivity and successfully identify the **best personalized timing for implantation**.

- ✓ **More stable** than mRNA-based method
- ✓ **More sensitive** and less tissue required
- ✓ **More precise** diagnostic outcome
- ✓ Less resampling rate

Who should take this test?

- Any women that plans to undergo IVF treatment process.
- Recurrent implantation failures with good quality embryos



If you have had implantation problems, MIRA can help!

- Ask your physician to take the MIRA test.
- Schedule for the day of endometrial biopsy.
- MIRA report will indicate your optimal WOI to arrange follow up appointment for embryo transfer.

For more information, contact us at www.GGA.ASIA



Genetics Generation Advancement Corp.
No. 28, Ln. 36, Xinhui 1st Rd., Neihu Dist., Taipei City 11494, Taiwan
WWW.GGA.ASIA

Genetics Generation Asia Sdn. Bhd
Unit 32-01, Level 32, Vertical Corporate Tower B, Bangsar South, 59200
Kuala Lumpur, Malaysia.